

Following your gastroscopy and polypectomy

* with sedation +/- throat spray

* delete as necessary

Gemini Endoscopy Suite
Tel: 01271 349180

Other formats

If you need this information in another format such as audio tape or computer disk, Braille, large print, high contrast, British Sign Language or translated into another language, please telephone the PALS desk on 01271 314090.

You may have been given a local anaesthetic throat spray, to numb your throat during the procedure.

You should have **nothing to eat or drink** until:

After your gastroscopy, if you had sedation, a responsible adult must collect you because you will be drowsy from the medication you have been given. Small amounts of sedation will remain in your body for up to 24 hours. During this period, although you may feel wide awake you will still be under the influence of the sedation. Your concentration and coordination may be impaired and you may feel light-headed or faint.

Sedation can impair your reflexes and judgement

It is for these reasons that for **24 hours after your procedure** you:

- Go home and take complete rest for the remainder of the day and have a quiet day tomorrow
- Must not drive a car (your car insurance is invalid for the 24 hour period)
- Must not ride a motorbike or bicycle
- Must not operate any machinery or electrical items, e.g. kitchen appliances
- Must not drink alcohol
- Must not take any sleeping tablets

- Must not sign any legally binding documents
- Do not bath or shower
- Must not work

What will happen after my test?

During your test, the doctor removed a polyp. There are different types of polyps, so your polyp(s) has been sent to the laboratory at North Devon District Hospital to find out what type you have.

Part of having a gastroscopy involves having some biopsies. Biopsies are not always necessary if all appeared normal. Some biopsies are sent to the laboratory to be analysed by a pathologist. The results will either be sent to your GP or you will have an appointment in the Outpatients Department to discuss the results with your hospital doctor.

When can I eat and drink again?

The local anaesthetic wears off after 30 minutes. Usually the nurse in recovery will check your swallowing with sips of cold water. This is to check and to make sure the normal sensation has returned. You can eat and drink as normal, unless advised otherwise. You may prefer to start with light foods before returning to your normal eating habits.

When I am at home, what if I feel unwell after the procedure?

You may or may not encounter any of the following conditions;

Sore throat / hoarse voice: You may experience a sore throat or hoarse voice. This is not unusual, and this should ease within a day or so.

Bleeding: It is normal to cough up small amounts of blood in your sputum particularly if you had lots of biopsies. This is fairly rare and should settle within a day. If the bleeding persists for more than 24 hours and/or gets heavier, please consult your doctor for immediate medical advice.

Fever: This is extremely rare after a gastroscopy. A high temperature above 38 degrees may indicate that you may have developed an infection after your procedure. If this happens, please consult your doctor for immediate medical advice.

Abdominal pain and bloating: Abdominal discomfort is fairly common after a gastroscopy. Some patients have discomfort due to air that is put into the stomach during the test, but this will subside rapidly.

Medications

You may resume normal medications after your gastroscopy, unless advised otherwise.

If you take blood thinning medications, please restart them on.....

When will I get the results?

A nurse will speak to you before you leave the Gemini Endoscopy Suite and explain:

- What was seen and done during your procedure
- Whether you will need any further follow up
- A copy of your report will be sent to your GP today and any results should be with your GP within 2 weeks

What if I need further advice and assistance?

If any of the above symptoms persist or worsen after your gastroscopy – such as bleeding, pain, temperature and shortness of breath, please follow the instructions below:

- In normal working hours Monday to Friday 8am to 6.30pm, telephone the Gemini Endoscopy Suite on **01271 349180**
- Outside these hours contact your GP surgery or if in an emergency, come to the North Devon District Hospital Emergency Department
- Alternatively telephone NHS Direct on **111**

Further information

Please telephone the Gemini Endoscopy Suite on **01271 349180**.

www.bsg.org.uk – British Society of Gastroenterology

www.modern.nhs.uk – NHS Modernisation Agency National Endoscopy Programme

www.grs.nhs.uk – Endoscopy Global Rating Scale

References

Endoscopy Unit – Gateshead Health NHS Trust

Endoscopy Unit – St George's Healthcare NHS Trust

Endoscopy Department – North West London Hospitals NHS Trust

Endoscopy Suite – Good Hope Hospital NHS Trust

Hypnovel (Midazolam) information literature

PALS

The Patient Advice and Liaison Service (PALS) ensures that the NHS listens to patients, relatives, carers and friends, answers questions and resolves concerns as quickly as possible. If you have a query or concern call 01271 314090 or e-mail ndht.pals@nhs.net. You can also visit the PALS and Information Centre in person at North Devon District Hospital, Barnstaple.

Have your say

Northern Devon Healthcare NHS Trust aims to provide high quality services. However, please tell us when something could be improved. If you have a comment or compliment about a service or treatment, please raise your comments with a member of staff or the PALS team in the first instance.

'Care Opinion' comments forms are on all wards or online at www.careopinion.org.uk.

Northern Devon Healthcare NHS Trust
Raleigh Park, Barnstaple
Devon EX31 4JB
Tel. 01271 322577
www.northdevonhealth.nhs.uk

© Northern Devon Healthcare NHS Trust
This leaflet was designed by the Communications Department.
Tel: 01271 313970 / Email: ndht.communications@nhs.net