

Document Control

Title			
Management of Knee Injuries Protocol in MIUs and WICs			
Author			Author's job title Professional Lead, Minor Injuries Unit
Directorate Emergency Services, Logistics and Resilience			Department Emergency Department
Version	Date Issued	Status	Comment / Changes / Approval
0.1	Dec 2015	Draft	Initial Version for Consultation
1.0	Jun 2015	Final	Approved by (Clinician) and (Clinical Director) June 2015 and published on Bob.
1.1	Jun 2015	Final	Reviewed and amended Karen Watts / Fionn Bellis
1.2	Feb 2017	Revision	Amendment to protocol, age reference under section 1
Main Contact Emergency Department North Devon District Hospital Raleigh Park Barnstaple, EX31 4JB			Tel: Direct Dial – 01271 322480
Lead Director Medical Director			
Document Class Protocol			Target Audience MIU
Distribution List Senior Management			Distribution Method Trust's internal website
Superseded Documents Knee Injuries (over 2 years of age) Protocol			
Issue Date December 2015		Review Date December 2018	Review Cycle Three years
Consulted with the following stakeholders <ul style="list-style-type: none"> ED Consultant MIU Leads 			Contact responsible for implementation and monitoring compliance: Professional Lead, Minor Injuries Unit
			Education/ training will be provided by: Professional Lead, Minor Injuries Unit
Approval and Review Process <ul style="list-style-type: none"> Lead Clinician for Emergency Department 			

Local Archive Reference

G:\Policies and Protocols

Local Path

MIU

Filename

Knee Injuries (over 2 years of age) Protocol V1.2

Policy categories for Trust's internal website (Bob)

MIU

Tags for Trust's internal website (Bob)

MIU

2. Contents

Document Control.....	1
3. Purpose.....	4
4. Presenting Symptoms	4
5. History	4
6. Clinical Examination	5
7. Treatment Pathway	6
8. Discharge Pathway	8
9. References	9
APPENDIX A – Essential Documentation for All Patients Attending Unit or Centre	10
APPENDIX B – Essential Documentation for All Patients Attending Unit or Centre.....	11
APPENDIX C – Competency Form.....	12

3. Purpose

- 3.1.** This Protocol is for the use by staff employed by Northern Devon Healthcare Trust who have achieved the agreed clinical competencies to work under this protocol. The **protocol** is for all patients in the Walk-In Centres and for patients over two years old in the MIUs. Any child under this age must be referred to a GP.

4. Presenting Symptoms

Swelling

Loss of function

Deformity / Dislocation

Pain

Bruising

Erythema

Inability to weight bear

Warmth

Inflammation

Pyrexia

Wounds

Abnormal gait

5. History

- 5.1. Refer to protocol for History taking and Clinical Documentation.**

Document a full history, including:

- Mechanism of injury to include:
- Valgus / varus stress
- Twisted flexed knee
- Forced flexion or hyperextension
- Dashboard impact
- Immediate swelling
- Swelling over several hours
- Locking of knee

- Knee giving way
- Previous knee injuries and surgery
- Tetanus status if wound present
- Anti-coagulant therapy – refer to medical practitioner for advice
- Any self-care measures

6. Clinical Examination

Look:

- Observe gait
- Swelling – supra patella pouch
- Deformity of patella
- Check alignment and contours of knees
- Compare both knees
- Bruising
- Erythema
- Wounds
- Scars / effusions
- Look for atrophy of the quadriceps muscles

Feel:

- Femur and hip
- Tibia femoral joint
- Tibial plateau – medially then laterally
- Patella and patella tendon
- Medial meniscus (slight internal rotation of tibia with knee in slight-flexion then palpate lateral meniscus along lateral joint line)
- Medial condyle and MCL
- Lateral condyle and LCL
- Proximal tibia, fibula, head and neck
- Pulse distal to injury / warmth / capillary refill time

Move:

- Active / passive
- Straight leg raise – eliminates rupture quadriceps / patella tendon / transverse patella fracture avulsion tibial tubercle
- Extension (normal 0°) – springy block meniscal tear
- Flexion > 135°
- Knee at 90° flexion assess
- Anterior cruciate ligament (anterior drawer test) > 1.5cm
- Laxity abnormal (Anterior cruciate ligament rupture)
- Posterior cruciate ligament posterior drawer test
- Foot drop may indicate peroneal nerve damage
- Assess the meniscus – use McMurray test

- Assess for effusion – pre patellar tap

Investigations:

- X-rays
- Use the Ottawa knee rule for AP and lateral views of the knee if appropriate

7. Treatment Pathway

Collateral Ligament Injuries

- Analgesia as per Patient Group Direction (PGD) or Over the Counter (OTC) analgesia
- Crutches
- Written advice for quadriceps exercises
- With haemarthrosis refer to orthopaedic team via the ED
- With laxity discuss with GP or ED to arrange follow up

Fractured Patella

- Consider bipartite patella which looks like a fracture
- Apply knee splint / crutches
- Refer to orthopaedics via the Emergency Department.
- Analgesia as PGD

Dislocated Patella

- Usually lateral dislocation
- May reduce spontaneously
- May be recurrent
- If competent to do so reduce under entonox as per PGD by gentle extension of knee and X-ray
- If unable to reduce refer to Emergency Department for reduction and continue analgesia
- Knee splint and fracture clinic follow up

Recurrent Dislocations

- Refer to fracture clinic

Cruciate Ligament Rupture

- Anterior – associated with medial ligament and medial meniscus tears
- Positive anterior drawer test and possible haemarthrosis and avulsion of anterior tibial spine
- Posterior – positive posterior drawer test
- Maybe haemarthrosis and avulsion of posterior tibial spine
- Refer to orthopaedic team via Emergency Department
- Delayed presentation refer to fracture clinic

Meniscus Injuries

- Twisting injury, pain, swelling, intermittent locking, feeling of instability
- Joint line tenderness and effusion
- May be McMurray's positive

Treatment:

- Locked knee – refer orthopaedic team via Emergency Department
- Possible meniscus tears
- Analgesia as PGD
- Crutches
- Clinic or discuss with GP or ED to arrange appropriate follow up

Proximal Fibular Fractures

- May be part of Maisonneuve fracture of medial ankle

7.1. Treatment:

- Analgesia as PGD
- Check peroneal nerve for foot drop
- Crutches
- Fracture clinic

Tibial Plateau Fractures

- Associated with ligamentous rupture
- Look for swelling and haemarthrosis

Treatment:

- Analgesia as PGD
- Knee splint
- Refer to orthopaedics via Emergency Department

Ruptured Quadriceps Tendon

- Unable to straight raise leg
- Palpable defect in muscle insertion
- Analgesia as PGD
- Refer to orthopaedics via Emergency Department

Ruptured Patellar Tendon

- Unable to straight leg raise
- Palpable defect in patellar tendon and high riding patella
- Possible avulsed tibial tuberosity
- Analgesia as PGD
- Refer to orthopaedics via Emergency Department

Dislocated Knee

- Give analgesia as PGD
- Refer as emergency to Emergency Department

Osgood – Shlatter’s Disease

- Affects boys 10-15 years especially
- Recurrent pain and swelling over the tibial tubercle
- X-rays may indicate fragmented tibial epiphysis
- Treat with OTC analgesia
- Rest
- GP follow up

Bursitis

- Associated with kneeling
- Pre-patellar and infrapatellar

Treatment:

- OTC non-steroidal anti-inflammatory medicines
- Rest
- GP follow up
- If infection suspected refer to medical practitioner

8. Discharge Pathway

Ensure patient is issued with appropriate advice sheet (if available) and that patient understands the need to return if symptoms change or worsens.

DOCUMENTATION TO BE COMPLETED

- Clinical treatment record as per Documentation & record keeping policies. Copy of clinical treatment record to General Practitioner; to be sent to surgery as per Record keeping policy.
- For patients being transferred to secondary care, ensure a copy of the clinical treatment record is sent with patient. A copy will also be sent to surgery in normal manner.

For patients seeing their General Practitioner in next 24 hours ensure patient is given a copy of the clinical treatment record to take with them. A copy will also be sent to surgery in the normal manner.

BEFORE DISCHARGE ENSURE:

- Those patients who have been referred for further acute intervention has appropriate transport to meet their needs, all relevant treatment has been prescribed and administered and correct information and documentation is given to the patient.

- The patient understands that if condition deteriorates or they have further concerns they should seek further advice.
- The patient demonstrates understanding of advice given during consultation.
- The patient has been provided with written advice leaflet to re-enforce advice given during consultation.
- The patient demonstrates an understanding of how to manage subsequent problems.

9. References

Bickley LS Szilagyi PG (2013) Bates' Guide to Physical Examination and History taking. Philadelphia: Lippincott Williams and Wilkins

Clinical Knowledge Summaries(Nice2011) Knee Injuries

Emergency Department Guidelines (2012) NDHTC

McRae R(2006) Orthopaedics and Fractures (2nd Edition) Edinburgh: Churchill Livingstone

Stiell IG et al.(1997) Implementation of the Ottawa Knee Rule for the Use of Radiology in Acute Knee Injuries JAMA 278:2075-9

APPENDIX A – Essential Documentation for All Patients Attending Unit or Centre

Adults Consent

Gain consent to be seen by a nurse practitioner

Gain consent for treatment and sharing information

Clinical Presentation

If unwell assess for:

- Airway
- Breathing
- Circulation
- Disability
- Exposure

Document a full set of observations including neurological observations including Glasgow coma score if applicable.

Record EWS: if 7 or above arrange immediate transfer to secondary care.

Document pain score using numeric rating scale. For cognitively impaired patients document any signs of pain (e.g. grimaces or distress).

Safeguarding

- Assess for mental capacity and if person is a vulnerable adult.
- Assess for learning disability and whether patient has a hospital passport in place.
- Assess for risk of domestic abuse.
- Assess falls risk. Complete falls referral if applicable.
- Document names of persons accompanying patient.

APPENDIX B – Essential Documentation for All Patients Attending Unit or Centre

Child and Young Persons under 18 Years Old Consent

Gain consent to be seen by a nurse practitioner

Gain consent for treatment and sharing information

Assess and document Gillick competency according to Fraser guideline if applicable.

Document name of person's accompanying patient.

Clinical Presentation

If unwell assess for:

- Airway
- Breathing
- Circulation
- Disability
- Exposure

Record PEWS: if any one parameter is triggered transfer to secondary care or seek advice from medical practitioner.

Use guideline Traffic Light System (NICE) 2013 if applicable.

Use guideline Feverish Illness (NICE) 2013 if applicable.

Document pain score using FLACC, Wong Baker Faces or numeric rating scale.

Safeguarding

- Assess safeguarding
- Assess for domestic abuse in the home
- Assess for learning disability

DOCUMENT ALL FINDINGS IN THE CLINICAL TREATMENT RECORD AND ACT ON THEM FOLLOWING NDHCT GUIDELINES.

APPENDIX C – Competency Form

Protocol for the Management of Knee Injuries (over 2 years of age)

Procedure operational from December 2015 and expires end of December 2018

The registered health professional named below, being employees of Northern Devon Healthcare Trust based at have received training and are competent to operate under this procedure

NAME (please print)	PROFESSIONAL TITLE	SIGNATURE	AUTHORISING MANAGER (please print)	MANAGER'S SIGNATURE	DATE

Keep original with the authorising manager and send a copy to: Emergency Department, Northern Devon Healthcare Trust NHS, Raleigh Park, Barnstaple, Devon, EX31 4JB